

Work Order ID 142716

Monday, March 21, 2016, 10:47:09 AM

142716

Page 1

Item ID: D3405-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Ground Handling Lug

Start Date: 4/15/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 4/27/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: W Date: _____ Tooling: _____ Date: _____Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3405	Rev B								

105

0.00

105

Purchasing

Memo

0.00

Purchasing

ISSUE PO 31704
CUT PER DRWG D3405 REV.B6 MAR 21 2016DAS
13
9-89

115

Receive & Inspect for Damage & Mat'l Certs

0.00

115

Packaging

Memo

0.00

Packaging

6x SP/6-01-01

125

QC5- Inspect part completeness to step on W/O

0.00

125

QC

Memo

0.00

Quality Control

6DAS
38
9-89

127

W2 der get open holes per drawing**P.T.O.**
APR 05 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : ☐							
Misidentified ☐	Past Due ☐								

DQA: Shut Date: 16.05.10QA Closed: FOA Date: 16/05/02

WORK ORDER NON-CONFORMANCE / UPDATE

Work Order update only ☐

Work Order: <u>142716</u> Part No. <u>D3405-043</u> NCR No. <u>165694</u>	DISPOSITION Rework ☒ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS			
	Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐	Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐	Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☒	Engineering ☐ Quality ☐ Other ☐	
Date: <u>16-04-04</u>	Step #: <u>105</u>	QTY Effective: <u>6</u>		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		DAS 9 9-89 <u>16-04-04</u> Completed By <u>da</u> <u>16/04/12</u> Lead hand / Supervisor Approval Verification DAS 38 9-89 APR 12 2016	
Part was outsource to T.P.I. on P0317764. At inspection some holes where found under size. Ref. to NCR 16-5694		.Re work (drill) holes to drawing. .Fill out F.A.I. sheet		QC / QA Coordinator DAS Approval 38 9-89 APR 05 2016	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☒ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ ☒ Outside Dimensions Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

Work Order ID 142716

Monday, March 21, 2016 10:47:09 AM

142716

Page 2

Item ID: D3405-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Ground Handling Lug

Start Date: 4/15/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 4/27/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00			DAS				
130	NC BRAKE				30	6			
Brake NC	Memo	0.00			9-89				APR 12 2016
Brake NC	1-Debur 2-Form using DT8204 as per Dwg D3405 3- use DT9681 to check if correct forming								
140	QC5- Inspect part completeness to step on W/O	0.00							DAS
140						6			38
QC	Memo	0.00							9-89
Quality Control									APR 12 2016
150	Weld per dwg A/R S.S. rod Batch: <u>14126014</u>	0.00							
150	Large Fab								
Large Fab	Memo	0.01				6	FL		6-4-14
Large Fab	Weld as per Dwg D3405 use DT8484 Identify as D3405-043								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

142716

Monday, March 21, 2016 10:47:09 AM

N900040100

Setup Start *NS1*

Stop ***NS2***

Start Date: 4/15/2016 **Start Qty:** 6.00 ***6***

Cust Item ID:

Required Date: 4/27/2016 **Req'd Qty:** 6.00 ***6***

Customer:

Run Start *NR1*

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

QC9- Inspect visual per QSI004- Fusion Welds

0.00

160

Memo

0.00

⑥ 1604-14

QC5- Inspect part completeness to step on W/O

0.00

170

Memo

0.00

(6) 16-04-14 9
9-89

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

180

Memo

0.00

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

2.05
E: 700
2.35

6 of 16-04-14. DAS 34 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval			
Root Cause		FAULT CATEGORY									
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____									
Misidentified ☐	Past Due ☐										

Work Order ID 142716

Monday, March 21, 2016 10:47:09 AM

142716

Page 4

Item ID: D3405-043

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Ground Handling Lug

Start Date: 4/15/2016 Start Qty: 6.00

6

Cust Item ID:

Required Date: 4/27/2016 Req'd Qty: 6.00

6

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

190

QC3- Inspect Part Finish

0.00

190

QC

Memo

0.00

Quality Control

6DAS
38

2-89

APR 15 2016

200

Identify as per dwg & Stock Location: S1529 0.00***200***

Packaging

Memo

0.01

Packaging

6 MLJ 16-04-15

210

QC21- Final Inspection - Work Order Release 0.00

210

QC

Memo

0.00

Quality Control

MLJ APR 15 2016MLJ APR 15 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : ☐			
Misidentified ☐	☐	Past Due ☐	☐				

Picklist Print

Monday, March 21, 2016 10:47:08 AM

Page 1

Work Order ID: 142716

142716

Parent Item: D3405-043

D3405-043

Parent Item Name: Ground Handling Lug

Start Date: 4/15/2016

Required Date: 4/27/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP A05.09.01New issueKJ/JLM
IPP B 09.01.28 Rev b dwg EC verified by: DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D3404-1		Manufactured	No			100	Each	25.0000	1	6			
D3404-1													
GHW/ Lug													
				<u>Location</u>				<u>Loc Qty</u>					
				WA001				25					
				138394				25					

D3405-3F		Purchased	No				Each	0.0000		6			
D3405-3F													
GHW/ Bracket													
M304S11GA		Purchased	No			150	sf	123.4750	0.154	0.972632			
M304S11GA													
304/316 0.125 Sheet													
				<u>Location</u>				<u>Loc Qty</u>					
				MAT020				123.47498					
				M129545				26.57498					
				M129972				21.7					
				M134284				75.2					

APR 01 2016

DAS
13
9-89

m134604

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE


QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

ITEM No.	QTY. -041	QTY. -043	PART NUMBER	DESCRIPTION
1	X		D3405-041	LUG ASSEMBLY
2		X	D3405-043	LUG ASSEMBLY
11	1	1	D3404-1	GHW LUG
12	1		D3405-1	GHW BRACKET
13		1	D3405-3	GHW BRACKET

△B



D3405-041 LUG ASSEMBLY
(SKID TUBE SECTION SHOWN
FOR REF ONLY)



D3405-043 LUG ASSEMBLY
(SKID TUBE SECTION SHOWN
FOR REF ONLY)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 142316 MLW


16-03-14

RELEASED
08/12/18 M.P.



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT ASSEMBLY WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3405-041" USING FINE POINT PERMANENT INK MARKER
IDENTIFY WITH DART P/N "D3405-043" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: -041, 0.85 lbs
-043, 0.87 lbs


B	DRAWING REDRAWN IN SOLIDWORKS WITH CURRENT STANDARDS AND TRANSFERRED TO "B" SIZE BORDER. FLAT PATTERNS FOR -1 & -3 INCREASED IN LENGTH TO PREVENT FOULING AT INSTL (SEE PAR198). SHEETS 3 & 4 ZONE A6 4.120 DIM WAS 4.100.	AJS	08.09.19
A	NEW ISSUE	PH	05.03.08
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3405	SHEET 1 OF 4
APPROVED		TITLE	SCALE
DE APPR.		GHW LUG ASSEMBLY	NTS
DATE	08.09.19	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3405-041 LUG ASSEMBLY




D3405-043 LUG ASSEMBLY




RELEASED
06/12/18


DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3405	SHEET 2 OF 4
APPROVED		TITLE	SCALE
DE APPR.		GHW LUG ASSEMBLY	NTS
DATE	08.09.19	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3405-1F GHW BRACKET FLAT PATTERN



D3405-1 GHW BRACKET
(MAKE FROM D3405-1F)




SIDE VIEW FOR REF ONLY

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 11 GAUGE (0.125 THICK)
PER MIL-S-5059 (ANNEALED) 2B FINISH OR AMS 5513/5524
REF. DART SPEC. M304S11GA
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3405	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		GHW LUG ASSEMBLY	NTS
DATE	08.09.19	COPYRIGHT © 2005 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


RELEASED
08/09/19



D3405-3F GHW BRACKET FLAT PATTERN



D3405-3 GHW BRACKET
(MAKE FROM D3405-3F)



SIDE VIEW FOR REF ONLY

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 11 GAUGE (0.125 THICK)
PER MIL-S-5059 (ANNEALED) 2B FINISH OR AMS 5513/5524
REF. DART SPEC. M304S11GA
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

RELEASED
06/12/18

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3405	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		GHW LUG ASSEMBLY	NTS
DATE	08.09.19	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO31764**

Purchase Order Date 3/21/2016.

PO Print Date 3/21/2016

Page Number 6 of 11

Order From :

VC-TP1001

Ship To : DART AEROSPACE LTD

TPI INDUSTRIES INC.
148 RUE GOODFELLOW
DELSON, QUEBEC J5B 1V4
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 450-633-0484

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

Destination-Collect

Line Total: \$363.80

14 D3405-041P ✓

Gh Lug

4/6/2016 FN

Yes

4/6/2016

32.00 ✓

Each

\$9.35

\$299.20

CUT AS PER DWG D3405 REV. B

B142719 X 8 PCS

B142720 X 4 PCS

B142721 X 4 PCS

B142718 X 8 PCS

B142717 X 8 PCS

MATERIAL 304 SHEET 11 GA

Line Total: \$299.20

15 D3405-043F ✓

Lug Assembly

4/6/2016

Yes

4/6/2016

6.00 ✓

Each

\$9.45

\$56.70

CUT AS PER DWG D3405 REV.B

B142716

MATERIAL 304 SHEET 11 GA

Line Total: \$56.70

SP16-04-01

Note:

3/21/2016

T.P.I. INDUSTRIES INC.

148 GOODFELLOW
DELSON, QUÉBEC J5B 1V4
CANADA
Tel: (450) 633-0484
Fax: (450) 633-0879

Packing Slip

Packing Slip No.: 7436
Date: 2016-03-29
Page: 1

Sold to: Dart Aerospace Chantal Lavoie 1270 Aberdeen Hawkesbury, Ontario K6A 1K7 Canada	Ship to: Dart Aerospace Chantal Lavoie 1270 Aberdeen Hawkesbury, Ontario K6A 1K7 Canada
Order No.: 31764	Sold By: JONATHAN LESSARD
Shipped By:	Ship Date: 2016-03-30
Tracking No.:	

Item No	Unit	Description	Quantity
D2281 ✓		jack saddle ✓	80 ✓
D2585 ✓		latch clamp ✓	65 ✓
D3637-041 ✓		bracket assy ✓	12 ✓
D4060-1 ✓		ski clamp ✓	132 ✓
D4176-1 ✓		429 clamp ✓	8 ✓
d2232-3 ✓	Chaque	d2232-3 basket hinge ✓	15 ✓
d2581 ✓		mounting bracket ✓	68 ✓
D3191-1 → D3198-1 ✓		fitting ✓	10 ✓
D3405-041 ✓		ground handling lug ✓	32 ✓
D3405-043 ✓		ground handling lug ✓	6 ✓
d3561-1 ✓	Chaque	d3561-1 seal insert tool ✓	6 ✓
d3912-5 ✓	Chaque	d3912-5 eyebolt plate ✓	30 ✓
d4021-1 ✓	Chaque	d4021-1 handle plate ✓	14 ✓
d4148-1 ✓	Chaque	d4148-1 crosstube lug plate fwd ✓	44 ✓
d4149-1 ✓	Chaque	d4149-1 crosstube lug plate aft ✓	20 ✓
d4150-3 ✓	Chaque	d4150-3 arm plate ✓	8 ✓
d4151-1 ✓	Chaque	d4151-1 lower hardpoint plate ✓	40 ✓
d4151-3 ✓	Chaque	d4151-3 upper hardpoint plate ✓	42 ✓

Sp/b ai-ol

Comment: Net / 30 from date of invoice 2% svc. chg. on invoices over 30 days

THYSSENKRUPP MATERIALS NA

DART AEROSPACE

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
 .1200 Nom X 48.0000" X 96.0000"
 PART NO.

PO/Rel 31741


We certify that this is a true copy of the report
 furnished by the producer of the metal, or data
 resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-983229-002

21Mar16

Pg 1/1

Signed by: 



METALLURGICAL TEST REPORT

North American Stainless Canada Inc.
 740 Imperial Road North
 Guelph, ON N1K 1Z3
 Canada

740 Imperial Road North

Certificate: 117938 1

Customer: 007206 001

Mail To:
 THYSSENKRUPP MATERIALS
 2821 LANGSTAFF ROAD
 CONCORD, ON L4K5C6

Ship To:
 THYSSENKRUPP MATERIALS
 2821 LANGSTAFF ROAD
 CONCORD, ON L4K5C6

Date: 11/26/2015 Page: 1

Steel: 304/304L

Finish: 2B

Corrosion: ASTM A262/14; 180 Bend-OK

Your Order: PEC271093

NAS Order: WN 0072789 07

PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED. UNS 30400/30403
 ASTM A240/15a, A480/14b, A666/15; ASME SA240/13, SA480/13, SA666/13
 CHEM ONLY ON FOLLOWING ASTM: A276/13, A479/13a, A484/13a, A312/13
 CHEM ONLY ON FOLLOWING ASME: SA312/13, SA479/13
 AMS 5511H/5513J XMRK; MIL-5059D AMD3 (X CRN MEAS); MIL-4043B
 NACE MR0175/ISO 15156-3:2009 A, MR0103/07; QQS766D-A X MAG PERM
 MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.
 EN 10204:2004 3.1; RoHS 1 & 2 Compliant
 Material is Free of Radioactive Contamination
 Steel Making Process: EAF, AOD, & Cont. Casting
 Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001
 *Melted & Manufactured in the USA; Mat'l is DFARS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
02X2A3 DA	02X2A3 D		.1163	48.0000	4.970	SHEETS	096.00	32	

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# L2323

CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Chemical Analysis per ASTM A751/08


HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %	S %
X2A3	US	.0270	18.2380	.3950	1.7650	.3735	.0830	8.0045	.0340	.0010
SI %										
.2375										

MECHANICAL PROPERTIES

MECHANICAL PROPERTIES							
Product Id#	Coil #	1 d o i c r	UTS KSI	20C .2% VS KSI	20C ELONG %-2"	% Hard RB	Tail Hard
02X2A3 DA	02X2A3 D	F T	92.66	44.92	51.32	86.00	87.00

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy
 of the test methods used, the material meets the specifications stated. These results relate only to the items
 tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical
 Dept. Mgr.


 ABHIJEET BHAVE

11/26/2015

STAINLESS STEEL SHEET 304L-2B DUAL GRADE
.0750 Nom X 48.0000" X 120.0000"
PART NO.

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

21Mar16
Pg 1/1

Signed by



No.600,Xinglong St., Jiaxing Yi., Gangshan Dist.,
Kaohsiung City 82057, Taiwan (R.O.C)

Date: JAN. 12, 2015

Product: COLD ROLLED STAINLESS STEEL SHEET IN COIL,
NO.2B FINISH

Page : 3/1

Order No. : UB1401303

Specification/Steel Grade : DIN EN 10028-7 1.4301/1.4307_C
Surface Finish : No. 2B

1. We hereby certify that material described herein has been manufactured and tested with satisfactory results in accordance with the requirement of the above material specification.
2. The material described above has been detected with free irradiation.
3. VISOI has established a QMS according to ISO 9001, which is certified by DNV CERT (reg.-no: 0058-2002-AQ-RGC-RYA).
4. Inspection and gauge measurement: Satisfactory
5. The report can only be reproduced in full.
6. This certificate complies to 3.1/DIN EN 10204:2005.
7. The tests including "Tensile Test", "Intergranular Attack" (I.I. TEST) have been accredited by A2LA (TESTING CERT #0958.02).

Manager of Quality Assurance Department

F. A. Hanson

JA-A-91